Voice based classification of patients with Amyotrophic Lateral Sclerosis, Parkinson's Disease and Healthy Controls with CNN-LSTM using transfer learning

<u>Jhansi Mallela</u>, Aravind Illa, Suhas BN, Sathvik Udupa, Prasanta Kumar Ghosh

SPIRE LAB Electrical Engineering, Indian Institute of Science (IISc), Bangalore, India





Poster Session: TU2.PB.11:Speech Analysis and Coding Tuesday, 5 May, 2020, 16:30-18:30

Overview



1 Introduction

2 Proposed approach

3 Data

4 Experiments and Results


5 Conclusion

3

Amyotrophic Lateral Sclerosis (ALS)



- A progressive motor neuron disease
- Affects nerve cells in the brain and spinal cord
- Results in loss of muscle control.



イロン イヨン イヨン イヨン

The ALS Association," What is ALS?", May 2019.

Symptoms of ALS




- Muscle stiffness
- A hard time in holding items
- Muscle cramps
- Swallowing problems
- Speech difficulties (slurred or slowness)

Mayo Clinic, 'Amyotrophic Lateral Sclerosis - Symptoms and causes', 6 August 2019 SPIRE LAB, IISc, Bangalore

Parkinson's Disease (PD)



- A progressive brain disorder
- Occurs when nerve cells in brain gets damaged
- Reduces the DOPAMINE level in brain
- Results in movement problems.



Symptoms of PD



- Tremors (hands, arms, legs)
- Stiffness in limbs and trunk
- Slowness in movements
- Difficulty in swallowing and chewing
- Speech difficulties (slurred or slowness)

Life expectancy with ALS or PD



ALS affected people¹

- 50% people 3 or more years
- 20% people 5 or more years
- 10% people 10 or more years
- PD affected people²
 - 10 to 20 years after being diagnosed

1. The ALS Association, Facts you should know, May 2019.

2. Life expectancy in Parkinson disease Lawrence I. Golbe, Cristian E. Leyton Neurology Nov 2018, 91 (22) 991-992.

SPIRE LAB, IISc, Bangalore



Diagnosis for ALS and PD

Currently no specific tests that can confirm of having ALS or PD
 Diagnosis is based on medical history (11 months) and a neurological examination



Treatment for ALS and PD

- Currently NO cure for ALS and PD
- Early detection can help to prolong survival and quality of life

3


Motivation



- Automated methods for detection of ALS or PD could reduce diagnosis time
- To develop a mobile application that helps in early detection and to follow the progression of the disease using speech as a biomarker



Speech waveforms and spectograms of ALS, PD, and Healthy controls



3



Literature Survey

 From diadochokinetic rate, using syllable rate and maximum phonation duration, automatic classification of ALS patients has been attempted based on fractal analysis

Antje S Mefferd, "Speaking rate effects on articulatory pattern consistency in talkers with mild ALS, "Clinical linguistics & phonetics, vol. 28, no.11, pp. 799–811, 2014. SPIRE LAB, IISC, Bangalore 12

Literature Survey



Studied the performance of three different speech tasks namely, Spontaneous speech (SPON), Diadochokinetic rate (DIDK), and Sustained phoneme production (PHON) in automatic classification between ALS and Healthy Control (HC) using SVM and DNN

Suhas B.N., "Comparison of Speech Tasks and Recording Devices for Voice Based Automatic Classification of Healthy Subjects and Patients with Amyotrophic Lateral Sclerosis," inProc. Interspeech 2019, 2019, pp. 4564–4568.





- Data collection from ALS and PD patients is often tedious making a large corpus development a challenging task
- Automated methods require huge amount of data to train a classifier



Goal of this work

- To study the performance of the classifier in low resource condition and benefit of Transfer Learning in such scenarios
- Also we are proposing CNN-LSTM approach and comparing with the existing DNN and SVM approaches

Overview



1 Introduction

Proposed approach

3 Data

4 Experiments and Results


5 Conclusion

÷.

《日》 《圖》 《문》 《문》

CNN-LSTM





÷.

《曰》 《圖》 《臣》 《臣》




Transfer Learning

- Machine learning approach where weights of a neural network model trained for a particular task are utilized as the initialization of weights for a model with a different task.
- Useful during unavailability of large amounts of training data

CNN-LSTM using transfer learning





э.

イロト 不同 とくほと 不良 とう

SPIRE LAB

Objectives of the experiments

- Comparing the performance of CNN-LSTM to ALS classification with those of baseline schemes based on SVM and DNN.
- Transfer learning approach for 2-class classifications (ALS/HC;PD/HC) in low resource data condition
- 3-class classification(ALS/PD/HC) with CNN-LSTM

Overview



1 Introduction

2 Proposed approach

3 Data

4 Experiments and Results

5 Conclusion

э.

・ロン ・四 と ・ ヨン ・ ヨン

Data collection



- Collected from National Institute of Mental Health and Neurosciences (NIMHANS), Bengaluru, India.
- Recorder : Zoom H-6 recorder with XYH-6 X/Y capsule high quality unidirectional microphone.
- Sampling frequency : 44.1 kHz



Number of subjects used in this work:

- 60 ALS (30 Male, 30 Female)
- 60 PD (30 Male, 30 Female)
- 60 healthy control (HC) (30 Male, 30 Female)



Number of subjects used in this work:

- 60 ALS (30 Male, 30 Female)
- 60 PD (30 Male, 30 Female)
- 60 healthy control (HC) (30 Male, 30 Female)

Speech tasks:



Number of subjects used in this work:

- 60 ALS (30 Male, 30 Female)
- 60 PD (30 Male, 30 Female)
- 60 healthy control (HC) (30 Male, 30 Female)
- Speech tasks:
 - Spontaneous speech (SPON) 5.62 hours



Number of subjects used in this work:

- 60 ALS (30 Male, 30 Female)
- 60 PD (30 Male, 30 Female)
- 60 healthy control (HC) (30 Male, 30 Female)
- Speech tasks:
 - Spontaneous speech (SPON) 5.62 hours
 - Sustained phoneme production (PHON) 5.79 hours



Number of subjects used in this work:

- 60 ALS (30 Male, 30 Female)
- 60 PD (30 Male, 30 Female)
- 60 healthy control (HC) (30 Male, 30 Female)

Speech tasks:

- Spontaneous speech (SPON) 5.62 hours
- Sustained phoneme production (PHON) 5.79 hours
- Diadochokinetic rate (DIDK) 4.65 hours

Overview



1 Introduction

2 Proposed approach

3 Data

4 Experiments and Results

5 Conclusion

÷.

Experimental setup



- 5 fold cross validation (each fold consists of 12 ALS, 12 PD, 12 HC)
- Proposed approach: CNN-LSTM
 - Features: Mel frequency cepstral coefficients (MFCC) with window length (20ms) and shift (10ms).
- Baseline: SVM and DNN for ALS/HC
 - Features: MFCC (suprasegmental features on 2sec analysis window)
 - Kernel function in SVM: Radial basis function
 - DNN: 2-hidden layers with 128 units in each layer and output layer with two units and softmax activation.

Objectives of the experiments



- Comparing the performance of CNN-LSTM to ALS classification with those of baseline schemes based on SVM and DNN.
- Transfer learning approach for 2-class classifications (ALS/HC;PD/HC) in low resource data condition
- 3-class classification(ALS/PD/HC) with CNN-LSTM



Comparison of CNN-LSTM with SVM and DNN for ALS/HC classification task

ALS/HC	SPON	DIDK	PHON
SVM	89.99(3.2)	94.52(4.3)	78.52(5.1)
DNN	92.44(3.1)	93.43(3.2)	78.80(4.3)
CNN-LSTM	96.96(2.8)	94.60(2.7)	89.20(1.5)

Table: Average (SD) accuracy of ALS/HC classification

イロト 不同ト 不良ト 不良ト

SPIRE LAB


Objectives of the experiments

- Comparing the performance of CNN-LSTM to ALS classification with those of baseline schemes based on SVM and DNN.
- Transfer learning approach for 2-class classifications (ALS/HC;PD/HC) in low resource data condition.
- 3-class classification(ALS/PD/HC) with CNN-LSTM.

Experiments and Results



Transfer learning for ALS/HC and PD/HC with CNN-LSTM:



Classification accuracy by varying percentage of training data.

RI,

 TL from PD/HC,
 TL from ALS/HC.

Э

ヘロン 人間 とくほ とくほう

SPIRE LAB

Objectives of the experiments

- Comparing the performance of CNN-LSTM to ALS classification with those of baseline schemes based on SVM and DNN.
- Transfer learning approach for 2-class classifications (ALS/HC;PD/HC) in low resource data condition.
- 3-class classification(ALS/PD/HC) with CNN-LSTM.

Three class classification ALS/PD/HC using CNN-LSTM

		SPON	DIDK	PHON
3-class	ALS/PD/HC	83.04(2.17)	85.24(4.25)	77.20(1.95)
2-class	ALS/HC	95.2(2.33)	87(2.36)	86.1(1.0)
	PD/HC	90.7(3.94)	87(2.36)	74.1(5.67)
	ALS/HC (FT)	98.22(1.87)		89.28(1.10)
	PD/HC (FT)	90.98(4.03)	84.62(5.69)	73.52(4.61)

Table: Average accuracy (SD) of ALS/PD/HC model and pair-wise accuracy's of ALS/HC and PD/HC.

Overview



1 Introduction

- 2 Proposed approach
- 3 Data
- 4 Experiments and Results

5 Conclusion

÷.

・ロン ・四 と ・ ヨン ・ ヨン

SPIRE LAB

Key Takeaways

- CNN-LSTM works better than SVM and DNN for ALS/HC
- Transfer learning at low resource training data show that data from ALS benefits PD/HC classification and vice-versa
- Fine-tuning weights of 3-class (ALS/PD/HC) classifier for 2-class classification (PD/HC or ALS/HC) gives an absolute improvement of 2% classification accuracy in SPON task over random initialization.

Future work




- To investigate CNN-LSTM and transfer learning techniques for severity estimation of ALS and PD patients.
- To examine the scientific rationale behind such benefits due to PD in classification for ALS and vice-versa.

References



- A Nalini, K Thennarasu, M Gourie-Devi, Sandhya Shenoy, and Dinkar Kulshreshtha, Clinical characteristics and survival pattern of1153 patients with Amyotrophic Lateral Sclerosis: experience over 30 years from india, Journal of the Neurological Sciences, vol. 272,no. 1-2, pp. 6070, 2008.
- Shigent Kiritani Hajime Hirose and Itaru F Tatsumi, On the nature of bradylalia a preliminary study of the acoustic characteristics of dysarthric speech, Ann. Bull. RILP, , no. 16, pp. 229234, 1982.
- Suhas B.N., Deep Patel, Nithin Rao, Yamini Belur, Pradeep Reddy, Nalini Atchayaram, Ravi Yadav, Dipanjan Gope, and PrasantaKumar Ghosh, Comparison of Speech Tasks and Recording Devices for Voice Based Automatic Classification of Healthy Subjects and Patients with Amyotrophic Lateral Sclerosis, in Proc. Interspeech, 2019, pp. 4564-4568.
- Aravind Illa, Deep Patel, BK Yamini, N Shivashankar, Preethish-Kumar Veeramani, Kiran Polavarapui, Saraswati-Nashi, AtchayaramNalini, Prasanta Kumar Ghosh, et al., Comparison of speech tasks for automatic classification of patients with amyotrophic lateralsclerosis and healthy subjects, in IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP). IEEE, 2018,pp. 6014-6018

イロン イヨン イヨン イヨン





 Authors thank the Department of Science and Technology, Govt. of India for their support in this work.

THANK YOU

Have Questions/Suggestions? Write to us at spirelab.ee@iisc.ac.in

42

Э